2023



Diagnostic Solutions

ICD-10-CM Codes

(International Classification of Diseases, Tenth Revision, Clinical Modification)

for Women's Health

Chlamydia

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|----------------|--|
| A55 | Chlamydial lymphogranuloma (venereum) |
| A56.00 | Chlamydial infection of lower genitourinary tract, unspecified |
| A56.01 | Chlamydial cystitis and urethritis |
| A56.02 | Chlamydial vulvovaginitis |
| A56.09 | Other chlamydial infection of lower genitourinary tract Chlamydial cervicitis |
| A56.11 | Chlamydial female pelvic inflammatory disease |
| A56.19 | Other chlamydial genitourinary infection Chlamydial epididymitis Chlamydial orchitis |
| A56.2 | Chlamydial infection of genitourinary tract, unspecified |
| A56.3 | Chlamydial infection of anus and rectum |
| A56.4 | Chlamydial infection of pharynx |
| A56.8 | Sexually transmitted chlamydial infection of other sites |
| A71.0 | Initial stage of trachoma Trachoma dubium |
| A71.1 | Active stage of trachoma Granular conjunctivitis (trachomatous) Trachomatous follicular conjunctivitis Trachomatous pannus |
| A71.9 | Trachoma, unspecified |
| Z11.3 | Encounter for screening for infections with a predominantly sexual mode of transmission |
| Z72.89 | Other problems related to lifestyle |
| Z72.51 | High risk heterosexual behavior |
| Z72.52 | High risk homosexual behavior |
| Z72.53 | High risk bisexual behavior |
| Z34.00 | Encounter for supervision of normal first pregnancy, unspecified trimester |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Chlamydia (Continued)

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|----------------|--|
| Z34.01 | Encounter for supervision of normal first pregnancy, first trimester |
| Z34.02 | Encounter for supervision of normal first pregnancy, second trimester |
| Z34.03 | Encounter for supervision of normal first pregnancy, third trimester |
| Z34.80 | Encounter for supervision of other normal pregnancy, unspecified trimester |
| Z34.81 | Encounter for supervision of other normal pregnancy, first trimester |
| Z34.82 | Encounter for supervision of other normal pregnancy, second trimester |
| Z34.83 | Encounter for supervision of other normal pregnancy, third trimester |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Gonorrhea

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|-----------------|--|
| A54.00 - A54.09 | Gonococcal infection of lower genitourinary tract without perurethral or accessory gland abscess |
| A54.1 | Gonococcal infection of lower genitourinary tract with periurethral and accessory gland abscess |
| A54.21 - A54.29 | Gonococcal pelviperitonitis and other gonococcal genitourinary infection |
| A54.30 - A54.39 | Gonococcal infection of eye |
| A54.40 - A54.49 | Gonococcal infection of musculoskeletal system |
| A54.5 | Gonococcal pharyngitis |
| A54.6 | Gonococcal infection of anus and rectum |
| A54.81 - A54.89 | Other gonococcal infections |
| A54.9 | Gonococcal infection, unspecified |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Herpes Simplex Virus 1 & 2

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|----------------|---|
| A60.00 | Herpesviral infection of urogenital system, unspecified |
| A60.01 | Herpesviral infection of penis |
| A60.02 | Herpesviral infection of other male genital organs |
| A60.03 | Herpesviral cervicitis |
| A60.04 | Herpesviral vulvovaginitis |
| A60.09 | Herpesviral infection of other urogenital tract |
| A60.1 | Herpesviral infection of perianal skin and rectum |
| A60.9 | Anogenital herpesviral infection, unspecified |
| B00.0 | Eczema herpeticum |
| B00.1 | Herpesviral vesicular dermatitis |
| B00.2 | Herpesviral gingivostomatitis and pharyngotonsillitis |
| B00.3 | Herpesviral meningitis |
| B00.4 | Herpesviral encephalitis |
| B00.50 | Herpesviral ocular disease, unspecified |
| B00.51 | Herpesviral iridocyclitis |
| B00.52 | Herpesviral keratitis |
| B00.53 | Herpesviral conjunctivitis |
| B00.59 | Other herpesviral disease of eye |
| B00.7 | Disseminated herpesviral disease |
| B00.81 | Herpesviral hepatitis |
| B00.82 | Herpes simplex myelitis |
| B00.89 | Other herpesviral infection |
| B00.9 | Herpesviral infection, unspecified |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Herpes Simplex Virus 1 & 2 (Continued)

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|-------------------------------|---|
| O98.311 - O98.313, O98.319 | Other infections with a predominantly sexual mode of transmission complicating pregnancy |
| O98.32 | Other infections with a predominantly sexual mode of transmission complicating childbirth |
| O98.33 | Other infections with a predominantly sexual mode of transmission complicating the puerperium |
| O98.511 - O98.513, O98.519 | Other viral diseases complicating pregnancy |
| O98.52 | Other viral diseases complicating childbirth |
| O98.53 | Other viral diseases complicating the puerperium |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Mycoplasma Genitalum

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|-----------------|--|
| A49.3 | Mycoplasma infection, unspecified site |
| N34.1 | Nonspecific urethritis Nongonococcal urethritis Nonvenereal urethritis |
| N70.01 | Acute salpingitis |
| N70.03 | Acute salpingitis and oophoritis |
| N70.11 | Chronic salpingitis |
| N70.13 | Chronic salpingitis and oophoritis |
| N70.91 | Salpingitis, unspecified |
| N70.93 | Salpingitis and oophoritis, unspecified |
| N72 | Inflammatory disease of the cervix uteri Use additional code (B95-B97), to identify infectious agent |
| N73.0 - N73.9 | Other female pelvic inflammatory diseases |
| N74 | Female pelvic inflammatory disorders in diseases classified elsewhere |
| N94.10 - N94.19 | Dyspareunia |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Trichomoniasis

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|---|--|
| A59.00 | Urogenital trichomoniasis, unspecified |
| A59.01 | Trichomonal vulvovaginitis |
| A59.02 | Trichomonal prostatitis |
| A59.03 | Trichomonal cystitis and urethritis |
| A59.09 | Other urogenital trichomoniasis |
| A59.8 | Trichomoniasis of other sites |
| A59.9 | Trichomoniasis, unspecified |
| B37.3 | Candidiasis of vulva and vagina |
| B96.89 | Other specified bacterial agents as the cause of diseases classified elsewhere |
| F11.10 - F11.19, F13.10 - F13.19, F14.10 - F14.19, F15.10 - F15.19, F16.10 - F16.19, F19.10 - F19.19 | Non-dependent abuse of drugs [injection drug use] |
| F11.20 - F11.229, F13.20 - F13.229, F14.20 - F14.29, F15.20 - F15.29, F16.20 - F16.29, F19.20 - F19.29 | Drug dependence [injection drug use] |
| L29.1 - L29.3 | Pruritis of genital organs |
| N76.0 | Acute vaginitis |
| N76.1 | Subacute and chronic vaginitis |
| N76.2 | Acute vulvitis |
| N76.3 | Subacute and chronic vulvitis |
| N77.1 | Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere |
| O23.00 - O23.93 | Infections of genitourinary tract in pregnancy |
| Z11.2 | Encounter for screening for other bacterial diseases |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Trichomoniasis (Continued)

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|-----------------|---|
| Z11.8 | Encounter for screening for other infectious and parasitic diseases Encounter for screening for chlamydia Encounter for screening for rickettsial Encounter for screening for spirochetal Encounter for screening for mycoses |
| Z13.89 | Encounter for screening for other disorder [encounter for screening for genitourinary disorders] |
| Z30.011-Z30.018 | Encounter for initial prescription of contraceptives |
| Z30.41-Z30.42 | Encounter for surveillance of contraceptives |
| Z30.431-Z30.433 | Encounter for surveillance of intrauterine contraceptive device |
| Z30.44 | Encounter for surveillance of vaginal ring hormonal contraceptive device |
| Z30.45 | Encounter for surveillance of transdermal patch hormonal contraceptive device |
| Z30.46 | Encounter for surveillance of implantable subdermal contraceptive |
| Z30.49 | Encounter for surveillance of other contraceptives |
| Z72.51 - Z72.53 | High risk sexual behavior [exchange of sex for payment, new or multiple partners] |
| Z86.19 | Personal history of other infectious and parasitic diseases |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Zika

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|-------------------|---|
| A92.5 | Zika virus disease |
| B30.9 | Viral conjunctivitis, unspecified |
| M25.50 | Pain in unspecified joint |
| O09.00 – O09.03 | Supervision of pregnancy with history of infertility |
| O09.10 – O09.13 | Supervision of pregnancy with history of ectopic pregnancy |
| 009.211 - 009-219 | Supervision of pregnancy with history of pre-term labor |
| 009.291 – 009-299 | Supervision of pregnancy with other poor reproductive or obstetric history |
| 009.30 - 009.33 | Supervision of pregnancy with insufficient antenatal care |
| 009.40 - 009.43 | Supervision of pregnancy with grand multiparity |
| O09.511 - O09.519 | Supervision of elderly primigravida |
| 009.521 - 009.529 | Supervision of elderly multigravida |
| O09.611 - O09.619 | Supervision of young primigravida |
| 009.621 - 009.629 | Supervision of young multigravida |
| 009.70 - 009.73 | Supervision of high risk pregnancy due to social problems |
| O09.811 - O09.819 | Supervision of pregnancy resulting from assisted reproductive technology |
| 009.821 - 009.829 | Supervision of pregnancy with history of in utero procedure during previous pregnancy |
| O09.891 - O09.899 | Supervision of other high risk pregnancies |
| 009.90 - 009.93 | Supervision of high risk pregnancy, unspecified |
| O28.3 | Abnormal ultrasonic finding antenatal screening of mother |
| O28.4 | Abnormal radiological finding on antenatal screening of mother |
| O35.00 - O35.09 | Maternal care for (suspected) central nervous system malformation in fetus |
| O35.3 | Maternal care for (suspected) damage to fetus from viral disease in mother |
| R21 | Rash and other nonspecific skin eruption |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Zika (Continued)

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|-----------------|---|
| R50.9 | Fever, unspecified |
| Z03.73 | Encounter for suspected fetal anomaly ruled out |
| Z03.79 | Encounter for other suspected maternal and fetal conditions ruled out |
| Z03.89 | Encounter for observation for other suspected diseases and conditions ruled out |
| Z20.821 | Contact with and (suspected) exposure to Zika virus |
| Z33.1 | Pregnant state, incidental |
| Z34.00 - Z34.03 | Encounter for supervision of normal first pregnancy |
| Z34.80 - Z34.83 | Encounter for supervision of other normal pregnancy |
| Z34.90 - Z34.93 | Encounter for supervision of normal pregnancy, unspecified |
| Z36.89 | Encounter for other specified antenatal screening |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Bacterial Vaginitis/Candida Vaginitis

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|-----------------|--|
| A59.01 | Trichomonal vulvovaginitis |
| B37.3 | Candidiasis of vulva and vagina |
| B96.89 | Other specified bacterial agents as the cause of diseases classified elsewhere |
| L29.1 - L29.3 | Pruritis of genital organs |
| N76.0 - N76.3 | Vaginitis and vulvitis |
| N77.1 | Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere |
| O23.00 - O23.93 | Infections of genitourinary tract in pregnancy |
| Z11.2 | Encounter for screening for other bacterial diseases |
| Z11.8 | Encounter for screening for other infectious and parasitic diseases [high risk screening for Trichomonas only] |
| Z13.89 | Encounter for screening for other disorder [encounter for screening for genitourinary disorders] |
| Z72.51 - Z72.53 | High risk sexual behavior |
| Z86.19 | Personal history of other infectious and parasitic diseases |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.

Trichomoniasis

| ICD-10-CM Code | ICD-10 Diagnosis Code Description | |
|---|--|--|
| A59.00 | Urogenital trichomoniasis, unspecified | |
| A59.01 | Trichomonal vulvovaginitis | |
| A59.02 | Trichomonal prostatitis | |
| A59.03 | Trichomonal cystitis and urethritis | |
| A59.09 | Other urogenital trichomoniasis | |
| A59.8 | Trichomoniasis of other sites | |
| A59.9 | Trichomoniasis, unspecified | |
| B37.3 | Candidiasis of vulva and vagina | |
| B96.89 | Other specified bacterial agents as the cause of diseases classified elsewhere | |
| F11.10 - F11.19, F13.10 - F13.19, F14.10 - F14.19, F15.10 - F15.19, F16.10 - F16.19, F19.10 - F19.19 | Non-dependent abuse of drugs [injection drug use] | |
| F11.20 - F11.229, F13.20 - F13.229, F14.20 - F14.29, F15.20 - F15.29, F16.20 - F16.29, F19.20 - F19.29 | Drug dependence [injection drug use] | |
| L29.1 - L29.3 | Pruritis of genital organs | |
| N76.0° | Acute vaginitis | |
| N76.1 | Subacute and chronic vaginitis | |
| N76.2 | Acute vulvitis | |
| N76.3 | Subacute and chronic vulvitis | |
| N77.1 | Vaginitis, vulvitis and vulvovaginitis in diseases classified elsewhere | |
| O23.00 - O23.93 | Infections of genitourinary tract in pregnancy | |
| Z11.2 | Encounter for screening for other bacterial diseases | |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Trichomoniasis (Continued)

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|-----------------|---|
| Z11.8 | Encounter for screening for other infectious and parasitic diseases Encounter for screening for chlamydia Encounter for screening for rickettsial Encounter for screening for spirochetal Encounter for screening for mycoses |
| Z13.89 | Encounter for screening for other disorder [encounter for screening for genitourinary disorders] |
| Z30.011-Z30.018 | Encounter for initial prescription of contraceptives |
| Z30.41-Z30.42 | Encounter for surveillance of contraceptives |
| Z30.431-Z30.433 | Encounter for surveillance of intrauterine contraceptive device |
| Z30.44 | Encounter for surveillance of vaginal ring hormonal contraceptive device |
| Z30.45 | Encounter for surveillance of transdermal patch hormonal contraceptive device |
| Z30.46 | Encounter for surveillance of implantable subdermal contraceptive |
| Z30.49 | Encounter for surveillance of other contraceptives |
| Z72.51 - Z72.53 | High risk sexual behavior [exchange of sex for payment, new or multiple partners] |
| Z86.19 | Personal history of other infectious and parasitic diseases |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Cervical Cancer Screening

| ICD-10-CM Code | ICD-10 Diagnosis Code Description | | |
|--|--|--|--|
| A64 | Unspecified sexually transmitted disease | | |
| B20 | Human immunodeficiency virus [HIV] disease | | |
| C51 - C58 | Malignant neoplasm of female genital organs | | |
| C79.6 | Secondary malignant neoplasm of ovary | | |
| C79.82 | Secondary malignant neoplasm of genital organs | | |
| D06 | Carcinoma in situ of cervix uteri | | |
| D07 - D07.39 | Carcinoma in situ of other and unspecified genital organs | | |
| D39.8 - D39.9 | Neoplasm of uncertain behavior of female genital organs | | |
| N72 | Inflammatory disease of cervix uteri | | |
| N76.81 | Mucositis (ulcerative) of vagina and vulva | | |
| N87 | Dysplasia of cervix uteri | | |
| N89.8 | Other specified noninflammatory disorders of vagina | | |
| R75 | Inconclusive laboratory evidence of human immunodeficiency virus [HIV] | | |
| R87.610 - R87.619, R87.810, R87.820 | Abnormal cytological findings in specimens from cervix | | |
| R87.810 | Cervical high risk human papillomavirus (HPV) DNA test positive | | |
| R87.811 | Vaginal high risk human papillomavirus (HPV) DNA test positive | | |
| Z01.411 | Encounter for gynecological examination (general)(routine) with abnormal findings | | |
| Z01.419 | Encounter for gynecological examination (general)(routine) without abnormal findings | | |
| Z11.51 | Encounter for screening for HPV | | |
| Z12.4 | Encounter for screening for malignant neoplasm of cervix | | |
| Z12.72 | Encounter for screening for malignant neoplasm of vagina | | |
| Z12.79 | Encounter for screening for malignant neoplasm of other genitourinary organs | | |
| Z12.89 | Encounter for screening for malignant neoplasm of other sites | | |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Cervical Cancer Screening (Continued)

| ICD-10-CM Code | ICD-10 Diagnosis Code Description |
|-----------------|---|
| Z20.828 | Contact with and (suspected) exposure to other viral communicable diseases |
| Z21 | Asymptomatic human immunodeficiency virus [HIV] infection status |
| Z72.51 | High risk heterosexual behavior |
| Z72.52 | High risk homosexual behavior |
| Z72.53 | High risk bisexual behavior |
| Z77.29 | Contact with and (suspected) exposure to other hazardous substances |
| Z77.9 | Other contact with and (suspected) exposures hazardous to health |
| Z85.40 - Z85.44 | Personal history of malignant neoplasm of female genital organs |
| Z87.410 | Personal history of cervical dysplasia |
| Z87.42 | Personal history of other diseases of the female genital tract |
| Z87.59 | Personal history of other complications of pregnancy, childbirth and the puerperium |
| Z91.89 | Other specified personal risk factors, not elsewhere classified |
| Z92.89 | Personal history of other medical treatment |

This document reflects commonly reported ICD-10-CM diagnosis codes that may be relevant to report testing for certain sexual health conditions. This is not an all-inclusive list. See the ICD-10-CM official guidelines for coding and reporting for further guidance regarding the use of ICD-10-CM diagnosis codes.

Codes should be reported at the highest level of specificity as supported by the medical record and consistent with coding guidelines.

Reporting of specific ICD-10-CM diagnosis codes for each condition varies by payer and should be confirmed prior to submission of claims.



Reimbursement Hotline

HOLOGIC®

The Pinnacle Health Group provides reimbursement and coding support through a staff of professional certified coders and can address questions regarding:

- Coding
- Insurance Coverage
- Private Payer Research of Contracted Rates (PPR)
- Patient Benefit Verification
- Patient Preauthorization / Pre-Certification
- · Claims Appeals & Denials
- HIPAA Compliance Support

At Hologic, **we understand** how important it is to deliver advanced testing, imaging and treatment solutions that bring greater **certainty to clinicians** — and **make a real difference** in the lives of patients looking for answers. That's why **we stand behind our breakthrough solutions**, with information to assist you.*

*Pinnacle Hotline support/resolution can take up to 7-10 business days

American Medical Association (AMA), 2023 International Statistical Classification of Diseases, 10th Revision, Clinical Modification (ICD-10-CM), The Complete Official Codebook. ICD-10-CM codes and descriptions are only copyright 2022 AMA. All rights reserved.

hologic.com | marketaccessdx@hologic.com | 1.888.484.4747

MISC-05937-001 Rev. 004 © 2023 Hologic, Inc. All rights reserved. Hologic, The Science of Sure, and associated logos are trademarks and/or registered trademarks of Hologic, Inc. and/or its subsidiaries in the United States and/or other countries. All other trademarks, registered trademarks, and product names are the property of their respective owners. This information is intended for medical professionals in the U.S. and is not intended as a product solicitation or promotion where such activities are prohibited. Because Hologic materials are distributed through websites, eBroadcasts and tradeshows, it is not always possible to control where such materials appear. For specific information on what products are available for sale in a particular country, please contact your local Hologic representative or write to diagnostic.solutions@hologic.com.

